

1. A method of promoting regeneration of surface cartilage of a joint, comprising:

- covering an area of damaged cartilage of a joint to be treated with a patch comprised of a multi-layer sheet of collagen membrane material, wherein said multi-layer sheet of collagen membrane material is comprised of at least one barrier layer which acts as a barrier to inhibit passage of cells therethrough, wherein said sheet of collagen membrane material further comprises a matrix layer predominantly of collagen II having an open sponge-like texture;
  - fixing the patch over said area; and
  - allowing said area to regenerate cartilage.
- 2. The method of claim 1, wherein said barrier layer, said matrix layer or both, are impregnated with glycosaminoglycan.
- 3. The method of claim 2, wherein the glycosaminoglycan is hyaluronic acid, chondroitin 6-sulphate, keratin sulphate or dermatan sulphate.
- 4. The method of claim 1 wherein the patch is fixed over the area to be treated by adhesively bonding the patch to cartilage surrounding said area to be treated.
- 5. The method of claim 1 wherein the patch is fixed over the area to be treated by suturing the patch to cartilage surrounding said area to be treated.
- 6. The method of claim 1 wherein said membrane material carries at least one pharmaceutically or biologically active substance or mesenchymal stem cells having ability to differentiate into cells to regenerate cartilage or bone.
- 7. The method of claim 6 in which the pharmaceutically active substance is selected from the group consisting Taurolidine, Taurultam and a mixture thereof.
- 8. The method of claim 6 in which the pharmaceutically active substance is selected from the group consisting of cell growth-promoting hormones, bone morphogenetic proteins (BMPs), other skeletal matrix molecules, and signaling peptides.
- 9. The method of claim 6 wherein the pharmaceutically active substance is selected from the group consisting of BMP-2, BMP-3, BMP-4, BMP-7, BMP-8, OP-1, PTH, TGF-β, TGF-β1, VEGF, CIP, IGF, PTHrP, PDGF and mixtures thereof.
- 10. The method of claim 1 wherein said membrane material carries articular cartilage stem cells or bone stem cells.
- 11. The method of claim 1 wherein said membrane material carries bone marrow stromal cells.

Juba"





- 12. The method of claim 1 wherein said barrier layer has at least one smooth face so as to inhibit cell adhesion thereon, said barrier layer further having a fibrous face opposite said smooth face, wherein said matrix layer is adhered to said fibrous face.
- 13. The method of claim 1 further comprising implanting a resorbable bone mineral implant material into a region of bone injury in the area to be treated, prior to fixing said patch over said area to be treated.
- 14. The method of claim 13, wherein said bone mineral is charged with chondrocytes.
  - 15. The method of claim 1, wherein said/patch is charged with chondrocytes.
  - 16. The method of claim 1 wherein said patch is comprised of a single barrier layer.
- 17. The method of claim 1 wherein said patch comprises said matrix layer sandwiched between one said barrier layer and a second said barrier layer.
- 18. The method of claim 1 wherein the matrix layer is provided by collagen II material derived from natural cartilage.
- 19. The method of claim 18 wherein the collagen II material is derived from hyaline cartilage from pigs.
- 20. The method of claim 18 wherein the collagen II material is physically cross-linked.
- 21. The method of claim 1 wherein said at least one barrier layer is predominately made up of collagen II or mixtures thereof.
- 22. The method of claim 21 wherein said at least one barrier layer is derived from peritoneum membrane from ¢alves or pigs.
- 23. The method of daim 1 wherein said patch is impregnated with a glycosaminoglycan.
- 24. The method of claim 23 wherein said glycosaminoglycan is hyaluronic acid, chondroitin 6-sulphate, carotin sulphate or dermatan sulphate.